

Аксессуары

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: dme@nt-rt.ru || сайт: <http://distform.nt-rt.ru/>

ACCESSORIES

DETACHABLE SIDE SPLASH FOR WORK TABLES AND STANDARD COUNTERTOPS

- Made of AISI grade 304 stainless steel (18/10).
- Easy to install from the side.
- Only for wall-facing tables.



Model	Side	Code
500 Series	Right	• CPE00013
	Left	• CPE00014
550 Series	Right	• CPE00015
	Left	• CPE00016
600 Series	Right	• CPE00005
	Left	• CPE00006

Model	Side	Code
700 Series	Right	• CPE00007
	Left	• CPE00008
800 Series	Right	• CPE00017
	Left	• CPE00018
900 Series	Right	• CPE00019
	Left	• CPE00020

WASTE CHUTE FOR TABLES AND STANDARD COUNTERTOPS

- Ø200 mm waste hole with a rubber ring for throwing trash directly into a bin beneath the counter.
- High-density food-service grade rubber.
- Removable rubber ring.



Model	Code
Chute + Rubber Ring	• ADE50001
Rubber ring replacement	• CAD00001
Waste chute cover	• RTAPAD01

PACK OF 4 OR 6 CASTORS

- Comes with the 40 x 40 mm square legs pre-installed.
- Includes 4 or 6 Ø125 mm castors (two with brakes).
- They replace the standard legs of the work table.
- **For tables with doors it is necessary to indicate the assembly.**



CASTORS FOR 900-MM-HIGH TABLES

- Height of the table with castors = **880 mm**

Model	Table length	Code
4 castors	≤ 2000 mm	• F0020312
6 castors	> 2000 mm	• F0020325

CASTORS FOR 600-MM-HIGH TABLES

- Height of the table with castors = **600 mm**

Model	Table length	Code
4 castors	≤ 2000 mm	• F0026312
6 castors	> 2000 mm	• F0026325

ROUND LEGS FOR TABLES

ROUND LEGS FOR TABLE HEIGHTS OF 850-920 MM

Model	Code
Pack of 4 round legs	• FPMR0001
Pack of 6 round legs	• FPMR0002

ROUND LEGS FOR TABLE HEIGHTS OF 950-1000 MM

Model	Code
Pack of 4 round legs	• FPMR0003
Pack of 6 round legs	• FPMR0004

ROUND LEGS FOR TABLE HEIGHTS OF 600-650 MM

Model	Code
Pack of 4 round legs	• FPMR0005
Pack of 6 round legs	• FPMR0006

TAP HOLE FOR STANDARD TABLES AND COUNTERTOPS

- Hole that is 33 mm in diameter.

Model	Position	Code
Right		• LAVA0001
Left		• LAVA0002
Center		• LAVA0003



DRAWER WITH TELESCOPIC RUNNERS

- Made of AISI grade 304 stainless steel (18/10).
- Installed on all work tables except 500 series.

Total dimensions (mm)	Code
460 x 450 x 150	• F0020302



DRAWER MODULE

- Made of AISI grade 304 stainless steel (18/10).
- Module is easy to install onto a table.
- Modules with 2 drawers: drawers have 290 x 435 x 115 mm of useful space each.
- Modules with 3 drawers: drawers have 290 x 435 x 109 mm of useful space each.
- Modules with 4 drawers: drawers have 290 x 435 x 62 mm of useful space each.
- Drawers with linear ball-bearings.

Model	Total dimensions (mm)	Drawers	Code
600 Series	400 x 510 x 590	2	• FB2C6040
	400 x 510 x 590	3	• FB3C6040
	400 x 510 x 590	4	• FB4C6040
700 Series	400 x 610 x 590	2	• FB2C7040
	400 x 610 x 590	3	• FB3C7040
	400 x 610 x 590	4	• FB4C7040



HIGH CAPACITY DRAWER MODULE

- **Can be used as a bread chute, for waste bags, etc.**
- Made of AISI grade 304 stainless steel (18/10).
- Includes a clamp for waste bags.
- Module is easy to install onto a table.
- Drawer opens on 4 runners.

Model	Total dimensions (mm)	Code
600 Series	465 x 510 x 590	• F0020340
700 Series	465 x 610 x 590	• F0020341



RUNNER SET MODULE FOR GN1/1 AND BAKERY TRAYS

- Made of AISI grade 304 stainless steel (18/10).
- Module is easy to install onto a table.


Model	Total dimensions (mm)	Code
GN 1/1	380 x 560 x 590	• F0020332
Bakery	660 x 436 x 596	• F0020337





COUNTERTOP SHELVES

- **Designed to illuminate and maintain the temperature of recently cooked dishes before serving.**
- Shelves made of AISI grade 304 stainless steel (18/10).
- Supports made of round Ø30 mm tubes.
- Single or Double models with 3 options: 1-neutral, 2-halogen light and heat, and 3-infrared heat with ceramic.
- Easy installation by making small holes in the worktop with joining support.
- Lighted switch on the screens.
- **Easy assembly in 3 minutes.**



SINGLE

For work table	Total dimensions (mm)	NEUTRAL Code	HALOGEN LIGHT AND HEAT Code Power (W)	INFRARED HEAT CERAMIC Code Power (W)
1000 Long	700 x 350 x 400	• F0030001	- 330	-
1200 Long	900 x 350 x 400	• F0030008	• FCH30008 600	• FCC30008 500
1400 Long	1100 x 350 x 400	• F0030002	• FCH30002 600	• FCC30002 500
1600 Long	1300 x 350 x 400	• F0030003	• FCH30003 900	• FCC30003 750
1800 Long	1500 x 350 x 400	• F0030004	• FCH30004 900	• FCC30004 750
2000 Long	1700 x 350 x 400	• F0030005	• FCH30005 1200	• FCC30005 1000
2200 Long	1900 x 350 x 400	• F0030009	• FCH30009 1200	• FCC30009 1000
2400 Long	2100 x 350 x 400	• F0030010	• FCH30010 1500	• FCC30010 1250
2600 Long	2300 x 350 x 400	• F0030011	• FCH30011 1800	• FCC30011 1500
2800 Long	2500 x 350 x 400	• F0030012	• FCH30012 1800	• FCC30012 1500

DOUBLE

For work table	Total dimensions (mm)	NEUTRAL Code	HALOGEN LIGHT AND HEAT Code Power (W)	INFRARED HEAT CERAMIC Code Power (W)
1000 Long	700 x 350 x 700	• F0030101	-	-
1200 Long	900 x 350 x 700	• F0030108	• FCH40008 1200	• FCC40008 1000
1400 Long	1100 x 350 x 700	• F0030102	• FCH40002 1200	• FCC40002 1000
1600 Long	1300 x 350 x 700	• F0030103	• FCH40003 1800	• FCC40003 1500
1800 Long	1500 x 350 x 700	• F0030104	• FCH40004 1800	• FCC40004 1500
2000 Long	1700 x 350 x 700	• F0030105	• FCH40005 2400	• FCC40005 2000
2200 Long	1900 x 350 x 700	• F0030109	• FCH40009 2400	• FCC40009 2000
2400 Long	2100 x 350 x 700	• F0030110	• FCH40010 3000	• FCC40010 2500
2600 Long	2300 x 350 x 700	• F0030111	• FCH40011 3600	• FCC40011 3000
2800 Long	2500 x 350 x 700	• F0030112	• FCH40012 3600	• FCC40012 3000

HALOGEN STRIP HEATER

- **Designed to fit under countertop shelving (not included).**
- Halogen light and heat unit with R7s-15 bulbs and additional glass protection.
- Unit with infrared heating system featuring long-lasting ceramic components.
- Made of stainless steel.
- It has a light-up switch.
- Easy to mount on the shelf - no tools required.



Total dimensions (mm)	Lamps	Voltage (V/Hz)	HALOGEN LIGHT AND HEAT Code Power (W)	INFRARED HEAT CERAMIC Code Power (W)
800 x 150 x 60	2	230/50	• F1020601 600	• F1040601 500
1200 x 150 x 60	3	230/50	• F1020602 900	• F1040602 750
1600 x 150 x 60	4	230/50	• F1020603 1200	• F1040603 1000
2000 x 150 x 60	5	230/50	• F1020604 1500	• F1040604 1250



По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: dme@nt-rt.ru || сайт: <http://distform.nt-rt.ru/>